



Essentials at your fingertips

Versatile and smart, G-Snack Touch is the automatic vending machine designed to increase your profits in the most effortless and intuitive way possible by combining top-notch technology with SandenVendo's flagship cooling units. G-Snack Touch, equipped with a user-friendly and commercially advantaging touch display with a multi-selection feature to persuade clients into buying more products, can accommodate a large variety of cold drinks, snacks and foods including fresh goods such as lunch boxes or salads on the go. Its extreme flexibility allows G-Snack Touch to be suitable for installation inside automated shops as an Extra-Vending machine that dispenses merchandising items.

STX

G-Snack Touch Ten (X) Master

TECHNICAL SPECIFICATIONS

| TECHNICAL SPECIFICATIONS | STX |
|---|--|
| DIMENSIONS H x W x D (mm) | 1830*x 1125 x 845 |
| WEIGHT (NET - Standard machine without options) | 340 Kg |
| NO. OF SELECTIONS PER SHELF | 10 |
| NO. OF SHELVES | Standard 6 / Max. 7 |
| NO. OF SELECTIONS | Max. 70 |
| DISPLAY | 7" Touch screen |
| PROTOCOL | Executive / MDB |
| COOLING SYSTEM CONTROL | Electronic |
| INTERNAL TEMPERATURE RANGE | +2°C up to +18°C |
| CLIMATE CLASS | ST (+16°C up to +38°C) |
| COOLING UNIT | HCD |
| POWER SUPPLY | 230/240 V - 50/60 Hz |
| MAX. POWER CONSUMPTION | 350 W |
| ENERGY CLASS | C (Cat. 2) C (Cat. 3) C (Cat. 4) |
| ENERGY CONSUMPTION - kWh/annum | 694 (Cat. 2) 869 (Cat. 3) 925 (Cat. 4) |

*With adjustable feet

OPTIONAL

- SPEEDY LIFT
- E-LABELING
- ROTARY & BELT SYSTEM
- KIT SANDWICH / BAGUETTE
- MOTORIZED LOCK DELIVERY EYELET
- SPECIAL CODED LOCK (RIELDA)
- LOCK PROTECTION
- SAFETY SLIDE COIN INSERT
- SECURITY CASH BOX SYSTEM
- WALL/FLOOR FIXING KIT
- PAYMENT SYSTEM
- KIT EVA DTS
- VARIOUS FITTING KITS
- CUSTOMIZATION
- CUSTOMIZED CABINET COLOUR



Essentials at your fingertips

Versatile and smart, G-Snack Touch is the automatic vending machine designed to increase your profits in the most effortless and intuitive way possible by combining top-notch technology with SandenVendo's flagship cooling units. G-Snack Touch, equipped with a user-friendly and commercially advantaging touch display with a multi-selection feature to persuade clients into buying more products, can accommodate a large variety of cold drinks, snacks and foods including fresh goods such as lunch boxes or salads on the go. Its extreme flexibility allows G-Snack Touch to be suitable for installation inside automated shops as an Extra-Vending machine that dispenses merchandising items.

ST8

G-Snack Touch Eight (VIII) Master

TECHNICAL SPECIFICATIONS

ST8

| | |
|---|--|
| DIMENSIONS H x W x D (mm) | 1830*x 980 x 845 |
| WEIGHT (NET - Standard machine without options) | 310 Kg |
| NO. OF SELECTIONS PER SHELF | 8 |
| NO. OF SHELVES | Standard 6 / Max. 7 |
| NO. OF SELECTIONS | Max. 56 |
| DISPLAY | 7" Touch screen |
| PROTOCOL | Executive / MDB |
| COOLING SYSTEM CONTROL | Electronic |
| INTERNAL TEMPERATURE RANGE | +2°C up to +18°C |
| CLIMATE CLASS | ST (+16°C up to +38°C) |
| COOLING UNIT | HCD |
| POWER SUPPLY | 230/240 V - 50/60 Hz |
| MAX. POWER CONSUMPTION | 350 W |
| ENERGY CLASS | C (Cat. 2) C (Cat. 3) C (Cat. 4) |
| ENERGY CONSUMPTION - kWh/annum | 681 (Cat. 2) 849 (Cat. 3) 878 (Cat. 4) |

*With adjustable feet

OPTIONAL

SPEEDY LIFT
E-LABELING
ROTARY & BELT SYSTEM
KIT SANDWICH / BAGUETTE
MOTORIZED LOCK DELIVERY EYELET
SPECIAL CODED LOCK (RIELDA)
LOCK PROTECTION
SAFETY SLIDE COIN INSERT
SECURITY CASH BOX SYSTEM
WALL/FLOOR FIXING KIT
PAYMENT SYSTEM
KIT EVA DTS
VARIOUS FITTING KITS
CUSTOMIZATION
CUSTOMIZED CABINET COLOUR



Essentials at your fingertips

Versatile and smart, G-Snack Touch is the automatic vending machine designed to increase your profits in the most effortless and intuitive way possible by combining top-notch technology with SandenVendo's flagship cooling units. G-Snack Touch, equipped with a user-friendly and commercially advantaging touch display with a multi-selection feature to persuade clients into buying more products, can accommodate a large variety of cold drinks, snacks and foods including fresh goods such as lunch boxes or salads on the go. Its extreme flexibility allows G-Snack Touch to be suitable for installation inside automated shops as an Extra-Vending machine that dispenses merchandising items.

ST6

G-Snack Touch Six (VI) Master

TECHNICAL SPECIFICATIONS

| TECHNICAL SPECIFICATIONS | ST6 |
|---|---------------------------------------|
| DIMENSIONS H x W x D (mm) | 1830*x 830 x 845 |
| WEIGHT (NET - Standard machine without options) | 275 Kg |
| NO. OF SELECTIONS PER SHELF | 6 |
| NO. OF SHELVES | Standard 6 / Max. 7 |
| NO. OF SELECTIONS | Max. 42 |
| DISPLAY | 7" Touch screen |
| PROTOCOL | Executive / MDB |
| COOLING SYSTEM CONTROL | Electronic |
| INTERNAL TEMPERATURE RANGE | +2°C up to +18°C |
| CLIMATE CLASS | ST (+16°C up to +38°C) |
| COOLING UNIT | HCD |
| POWER SUPPLY | 230/240 V - 50 Hz |
| MAX. POWER CONSUMPTION | 350 W |
| ENERGY CLASS | C (Cat. 2) C (Cat. 3) C (Cat. 4) |
| ENERGY CONSUMPTION - kWh/annum | 629 (Cat. 2) 798 (Cat. 3) 793(Cat. 4) |

*With adjustable feet

OPTIONAL

SPEEDY LIFT
E-LABELING
ROTARY & BELT SYSTEM
KIT SANDWICH / BAGUETTE
MOTORIZED LOCK DELIVERY EYELET
SPECIAL CODED LOCK (RIELDA)
LOCK PROTECTION
SAFETY SLIDE COIN INSERT
SECURITY CASH BOX SYSTEM
WALL/FLOOR FIXING KIT
PAYMENT SYSTEM
KIT EVA DTS
VARIOUS FITTING KITS
CUSTOMIZATION
CUSTOMIZED CABINET COLOUR